Setting L2TP BMAP VPN on Mac

- 1. Go to System Setting by clicking the apple icon on the top left corner of your screen.
- 2. Highlight "VPN" and click "Add VPN Configuration"
- 3. Choose "L2TP over IPSec

About VPNs & Privacy	Add VPN Configuration • ?	
	L2TP over IPSec	
	Cisco IPSec	
	IKEv2	
		ah

4. Follow the screen shot below:

L2TP over IPSec	Display name	BMAP-VPN
Options TCP/IP	Configuration	Default 🗘
DNS	Server address	pptp.bmap.ucla.edu
Proxies	Account name	Your User Name
	User authentication	Password 🗘
	Password	•••••
	Machine authentication	Shared secret \diamondsuit
	Shared secret	•••••••
	Group name	Optional
		Cancel Create

- 5. For Server Address: insert pptp.bmap.ucla.edu
- 6. For Account name and Password: insert your credential
- 7. For Shared secret: insert **bmapsecure** (all lower case)
- 8. Hit "Create)
- 9. You will see the VPN that you have created

L2TP over IPSec Options TCP/IP DNS Proxies	Disconnect when switching user accounts Disconnect when user logs out Send all traffic over VPN connection Use verbose logging	
	Remove Configuration Cancel OK	

- 10. Click the "I' /information icon on the right side
- 11. Highlight "options"
- 12. Turn on "Send all traffic over VPN connection"
- 13. Hit OK